



Synthesis of the Zoanthamine Alkaloids




Lizzie O'Bryan
August 27, 2008




Zoanthamine Alkaloids: Isolation and Biological Activity




- Zoanthamine:
 - Isolation: Rao and Faulker, 1984 off the coast of India
 - Biological activity: Inhibits ear inflammation in mice
- Norzoanthamine:
 - Isolation: Uemura, 1995 from the coast of islands south of Japan
 - Biological activity:
 - Prevents osteoporosis in vivo in ovarieoctrimized mice
 - Cytotoxicity against P388 murine leukemia cells
 - Inhibits human platelet aggregation
- Zoanthenol:
 - Isolation: Norte, 1996 in the Canary Islands
 - Biological activity: Inhibits human platelet aggregation



R = Me, Zoanthamine
R = H, Norzoanthamine



Zoanthenol




Synthetic Efforts Towards Norzoanthamine

Total synthesis:


- Miyashita, Norzoanthamine-2004

Partial syntheses:




- Tanner
- Williams
- Uemura
- Stoltz
- Theodorakis
- Kobayashi



Miyashita's Synthesis of Norzoanthamine: Synthesis of the ABC Ring System




The Kinetic Isotope Effect...Not Just for Inorganic Chemists







Construction of the DEFG Rings





Completion of Norzoanthamine




- 41 steps, 3.5% overall yield (average of 92% yield per step)
- Key steps:
 - IMDA to set stereochemistry at C-12 and C-22
 - Use of kinetic isotope effect for installation of alkyne
 - Bis-aminoacetalization for the construction of the DEFG rings

Tanner's Approach to the ABC Ring System: Model Studies on the IMDA Reaction





An Unexpected Product from the IMDA Reaction







R = TBDPS (0%)
R = Bn (0%)
R = TBS (20%)

R = TBDPS (60%)
R = Bn (37%)
R = TBS (60%)





↑
IMDA



Getting the IMDA Reaction to work




Revised Synthesis of the ABC Ring Fragment









Coupling of the Fragments



- Key vinyl stannane prepared in 18 steps from (*S*)-carvone in 6% overall yield.
- Key steps: sterically demanding Stille coupling, IMDA reaction to form tricycle
- Coupling of tricycle and fragment A affords the entire carbon framework

Williams' Approach to the DEFG Ring System



References



- Review: Behenna, D. C.; Stockdill, J. L.; Stoltz, B.M. *Angew. Chem. Int. Ed.* **2008**, *47*, 2365-2386 and references therein..
- Miyashita, M.; Sasaki, M.; Hattori, I.; Sakai, M.; Tanino, K. *Science*. **2004**, *305*, 495-499.
- Sakai, M.; Sasaki, M.; Tanino, K.; Miyashita, M. *Tetrahedron. Lett.* **2003**, *43*, 1705-1708.
- Juhl, M.; Monrad, R.; Sotofte, I.; Tanner, D. *J. Org. Chem.* **2007**, *72*, 4644-4654.
- Juhl, M.; Nielsen, T. E.; Le Qument, S.; Tanner, D. *J. Org. Chem*, **2006** , *71*, 265-280.
- Nielsen, T. E.; Le Qument, S.; Juhl, M.; Tanner, D. *Tetrahedron*, **2005**, *61*, 8013-8024.
- Tanner, D.; Tedenborg, L. ; Somfai, P. *Acta. Chem. Scand.* **1997**, *51*, 1217-1223.
- Tanner, D.; Andersson, P. G.; Tedenborg, L.; Somfai, P. *Tetrahedron*, **1994**, *50*, 9135-9144.
- Williams, D. R.; Cortez, G. S. *Tetrahedron, Lett.* **1998**, *39*, 2675-2678.
- Irifune, T.; Ohashi, T.; Ichino, T.; Sakai, E.; Suenaga, K.; Uemura, D.; *Chem. Lett.* **2005**, *34*, 1058-1059.