

1 Provisionally accepted for publication in *Medical Decision Making*

2

3 The Influence of Irrelevant Anchors on the
4 Judgments and Choices of Doctors and Patients

5

6 Noel T. Brewer, PhD

7 Department of Health Behavior and Health Education, School of Public Health,
8 University of North Carolina, Chapel Hill

9

10 Gretchen B. Chapman, PhD

11 Department of Psychology, Rutgers University

12

13 Janet A. Schwartz, PhD

14 Woodrow Wilson School of International and Public Affairs, Princeton University

15

16 George R. Bergus, MD

17 Departments of Family Medicine and Psychiatry

18 College of Medicine, University of Iowa

19

20 Address correspondence to: Noel Brewer at Department of Health Behavior and Health

21 Education, School of Public Health, University of North Carolina at Chapel Hill, 306

22 Rosenau Hall, CB#7440, Chapel Hill, NC 27599; or at ntb1@unc.edu. The research was

23 supporting in part by NSF grant SES-99-75083 to the second author.

24

1 Abstract

2 **Background:** Several decades of research have shown that judgments typically and
3 robustly assimilate towards irrelevant anchor numbers. However, little or no research has
4 examined how anchor numbers affect choice.

5 **Methods:** In one experiment, HIV-positive patients (N = 99) judged the chance that a
6 sexual partner would become HIV infected after sex with a defective condom and then
7 indicated their treatment choices. In a second experiment, Iowa physicians (N = 191)
8 rated the chance that a hypothetical patient had a pulmonary embolism and then
9 formulated a treatment plan.

10 **Results:** The two experiments showed support for a scale distortion hypothesis that
11 predicts that choices following an anchored judgment would actually contrast away from
12 the anchor. Both experiments showed the expected assimilation effect in judgment, but
13 both also showed the predicted contrast effect in choice.

14 **Discussion:** Biases that have been demonstrated in judgment should be demonstrated in
15 choice rather than assuming such an effect exists. The practical implications of the
16 anchoring bias are noteworthy for risk judgments, but of less concern for treatment
17 choices. The findings also show that the theoretical underpinnings of the anchoring bias
18 are more complex than previously thought.

19

20 Key Words: Anchoring bias, assimilation effect, contrast effect, medical decision
21 making, risk perception

1 uninformative anchors). An example of this *comparative judgment* is the query, “Is the
2 chance you will get the flu more or less than 90%?” in which the anchor is “90%” and the
3 target is “get the flu”. Participants next make an *absolute judgment* in which they offer a
4 point estimate of the target. An example is “What is the chance you will get the flu?”

5 The design offers a useful, experimentally controlled paradigm for addressing our
6 question of how anchors might influence choice. Consider a simple extension of the
7 standard anchoring design: a comparison to the anchor, followed by a judgment, followed
8 by a choice. Here is an example with stimuli tailored to the medical context. A woman
9 compares her chance of getting the flu to an irrelevant anchor number, she judges her risk
10 of getting the flu, and she chooses whether to have a flu shot.

11 *Hypotheses about an Anchoring Effect in Choice*

12 We elaborate here on several hypotheses of increasing complexity—and
13 decreasing parsimony—for how and why irrelevant anchors may affect choice. This is,
14 how might the woman’s decision to be vaccinated be influenced by the anchor number?

15 *Assimilation and the Activation Hypothesis.* The simplest hypothesis is that
16 choice will assimilate toward the anchor. For example, considering a large anchor might
17 increase one’s perceived risk for the flu and cause one to get a flue shot. The hypothesis
18 is drawn from the selective accessibility model (Mussweiler & Strack, 1999, 2000; Strack
19 & Mussweiler, 1997) and similar theoretical approaches (e.g., Chapman and Johnson,
20 1994, 1999) that tie the anchoring effect (elicited by irrelevant anchor numbers) to biased
21 activation of knowledge. The comparative judgment (in the standard anchoring design)
22 triggers a process of positive hypothesis testing: People consider whether the anchor
23 number is the correct answer to the comparative question. This triggers a process of

1 confirmatory search (Chapman & Johnson, 1994, 1999) that causes people to retrieve
2 examples confirming that the anchor may be the correct answer. Although the hypothesis
3 that the anchor is the correct answer is invariably rejected, considering the anchor causes
4 a biased set of information to be activated in memory (Mussweiler & Strack, 1999,
5 2000a). When asked to make judgments on the anchored topic, the information brought
6 to mind will be biased and can, in turn, bias the judgment in the direction of the anchor.
7 The result in most cases will be an assimilation effect of judgment toward the anchor.

8 Based on the activation account of the anchoring bias, a reasonable hypothesis is
9 that the anchor-driven assimilation effect in judgment will be passed on to choice. The
10 result would be choice assimilating towards the anchor. It is important to note that the
11 assimilation effect in choice should be mediated by judgment. Thus, if judgment is
12 covaried from the anchor-choice correlation, the correlation would drop from being
13 positive and significant to zero and not significant. For example, a high percentage
14 anchor would cause greater flu vaccination and this effect would be fully mediated by
15 perceived risk for getting the flu. In summary, the activation hypothesis concerns the
16 target and suggests an assimilation effect in choice.

17 *Contrast and the Scale Distortion Hypothesis.* A more complex and consequently
18 less parsimonious line of thinking suggests that choice should contrast away from the
19 anchor. Although several arguments yield the contrast prediction, we focus here on the
20 scale distortion hypothesis; we return to the others in the general discussion. The scale
21 distortion hypothesis concerns problems created by mapping the anchor onto the response
22 scale (during the initial comparative judgment). Units of the response scale closest to
23 where the anchor is mapped become magnified and those farther away collapse. In the

1 case of a 90% anchor, one comes to appreciate the subtle differences between, say, 85%
2 and 90% but cannot make a similar distinction for the same magnitude difference at the
3 bottom of the scale. This argument is somewhat related to Parducci's (1965, 1995)
4 range-frequency theory (see also Mussweiler & Strack, 2000b).

5 One implication of the scale distortion hypothesis is that anchors will trigger an
6 assimilation effect in judgments. Because the area of the response scale nearest the
7 anchor is magnified, any judgment will have a greater chance of falling nearer to the
8 anchor than otherwise. Furthermore, making the comparison of “greater than or less
9 than” requires at least an implicit sense of whether the target is small or large, even if one
10 is not asked that explicitly. Stating that one's chance of getting the flu is smaller than
11 90% probably requires that one have a sense of “a lot less” or “a little less” if not an
12 actual point estimate. The scale distortion hypothesis suggests that the distance between
13 the anchor and the rough or precise target estimate will seem *larger* than it otherwise
14 would. For example, if I think my risk of getting the flu is about 50%, that will seem
15 further away from 90%—and subjectively lower—than if no anchor had been considered.
16 This subjective sense of “big” (or “small”) will yield a contrast effect in choices that are
17 based on the risk judgment. To summarize, the scale distortion hypothesis concerns the
18 judgment's response scale and suggests an assimilation effect in judgment and a contrast
19 effect in choice.

20 *No effect.* The last possibility we consider is the least parsimonious: Two separate
21 processes will yield overlapping assimilation effects in judgment and self-canceling
22 assimilation and contrast effects in choice. The result of greatest interest is the absence
23 of a relationship between anchor and choice. This prediction for choice combines the

1 activation and the scale distortion hypotheses described previously. Research has amply
2 supported anchor-elicited assimilation effects in judgment. Much of this research points
3 to a selective activation effect but it does not eliminate the possibility of an additional
4 assimilation effect of another sort, for example the one suggested by scale distortion.

5 None of this research allows us to make empirically supported statements about
6 the effect of anchors on choice. Combining the predictions for choice made by the
7 activation and scale distortion hypotheses suggests no observed effect of anchor on
8 choice because the assimilation and contrast effects would offset each other. However,
9 the activation (assimilation) effects in choice are mediated by judgment and the scale
10 distortion effects in choice are not. This observation leads to the interesting insight that
11 covarying judgment out of the anchor-choice relationship should reveal a suppressed
12 contrast effect. Such a finding would show that a mediated assimilative effect passed
13 through judgment suppressed a direct contrast effect of anchor on choice.

14 In our initial theorizing, we favored the very parsimonious prediction of
15 assimilation of the choice to anchor. The experiments we report here produce a
16 distinctive pattern of data that call for a more complex explanation. The purpose of the
17 present paper is to demonstrate the unexpected influence of an irrelevant anchor number
18 on medical treatment choices. We demonstrate this in a first experiment and then
19 replicate the finding in a second. Because the primary purpose of this paper is to
20 demonstrate the effect, we do not conclusively rule out all possible alternative
21 explanation and we return to this issue in the general discussion.

1 Experiment 1: HIV+ Patients

2 The purpose of the first experiment was to demonstrate what effect irrelevant
3 anchor numbers have on health-related choices. The experiment used the standard
4 anchoring design (a comparative judgment followed by an absolute judgment) with the
5 added feature of participants making several treatment choices after their judgment.
6 Participants were HIV-positive patients making judgments and choices related to HIV
7 infection. The experiment was a two condition (low and high Anchor Level) between-
8 subjects design.

9 *Method*

10 *Participants.* Patients (N = 99) diagnosed with human immunodeficiency virus
11 (i.e., HIV+) were recruited at the dining facility of the Gay Men's Health Crisis in New
12 York City and paid \$5 for participating in the study. The patients had a median age of
13 42, were mostly men (91%), and were ethnically diverse (37% Latino, 27% White, and
14 26% Black). They were moderately well educated (40% had a college education), they
15 had low annual incomes (median \$7,500 per year), and many had HIV cases severe
16 enough to prevent them from holding a job (40%).

17 *Surveys.* Surveys contained a vignette followed by three questions requesting
18 comparative and absolute judgments of likelihood and the treatment plan the patient
19 would recommend. Data for female participants (n = 9) were dropped as the vignette
20 assumed a sexual activity requiring insertive sexual intercourse. We did not know before
21 conducting the study that Gay Men's Health Crisis served women. Data were also
22 dropped for 10 other participants who did not offer both judgments and a treatment
23 choice, leaving 80 participants in the analyses.

1 The vignette read: “Please imagine yourself in the following sexual situation. If
2 you are not sexually active or even if you don’t have this type of sex, please give us your
3 best answer based on how you think you would react. Imagine you are having insertive
4 anal sex (you are the top) with a person you know to be HIV-negative. You are using a
5 condom and ejaculate (cum) while inside your partner. After you withdraw you realize
6 that the condom broke while you were having sex.”

7 *Judgment.* Participants were asked to consider the chance that the person they
8 had sex with would become infected with HIV because the condom broke during sex.
9 They first offered a comparative judgment as to whether the chance of infection was
10 more or less than the anchor number, 1% [or 90%]. They then offered an absolute
11 estimate of the chance of HIV infection. The anchor number (i.e., 1% or 90%) was
12 uninformative in that it did not give clues to a normatively correct estimate. A high or
13 low anchor value was randomly assigned to each participant, but participants were not
14 explicitly told that the anchor values were randomly selected, a practice that is common
15 in anchoring studies (e.g., Chapman & Bornstein, 1996; Epley & Gilovich, 2001;
16 Jacowitz, & Kahneman, 1995).

17 *Treatment choice.* Patients reported the treatment(s) they would recommend to
18 their partner. A checklist of treatments was provided and patients were instructed to
19 check all that applied. The list contained options that read: Do nothing because they are
20 probably okay; wait and see if they have symptoms like fever or achiness; use alternative
21 medicine such as herbs to boost their immune system; have an HIV test; see a doctor; and
22 begin “post-exposure prophylaxis”, a drug treatment for people who may have been

1 exposed to HIV. A last option asked patients to write in any other treatment options they
2 would recommend.

3 A composite score for treatment aggressiveness was created for each patient.
4 Patients who recommended no medical attention (i.e., recommended doing nothing,
5 watchfully waiting or taking an herbal supplement) received a score of “1” (n = 9).
6 Patients whose most aggressive recommendation was to see a doctor received a score of
7 “2” (n = 16), have an HIV test “3” (n = 29), and treat with medication “4” (n = 26). The
8 coding scheme reported is one of several logically defensible options. Several alternate
9 scoring systems were also examined. For example, in one arrangement doing nothing,
10 watchful waiting, and taking an herbal supplement were separated into their own
11 categories; and in another testing and seeing a doctor were collapsed into a single scoring
12 category. The results obtained using the alternative scoring systems do not differ
13 meaningfully from those reported below.

14 *Results*

15 Patients’ judgments assimilated towards the anchors. Patients in the low anchor
16 group estimated the likelihood of HIV infection to be 43% on average, well below the
17 63% average estimate by the high anchor group. The difference was statistically
18 significant, $t(79) = 2.75$, $p = .01$, $\beta = +.28$. This replicates the well known anchoring
19 bias in a clinically important judgment and population.

20 As one would expect, higher judgments of HIV infection predicted more
21 aggressive treatment recommendations on the overall measure ($\beta = .42$, $p < .001$) as well
22 as the recommendation for testing and taking medication ($ps < .05$). Covarying out
23 anchor level from the judgment-choice relationship caused it to become larger.

1 We turn now to the main outcome of interest, the effect of anchor on treatment
2 choice. There was no observed relation of anchor to choice but the findings indicate a
3 suppressed contrast effect. Anchor level showed no observed effect on treatment choice
4 aggressiveness in bivariate analyses. Anchor level did not predict overall treatment
5 aggressiveness ($\beta = -.10, p > .35$) nor did anchor level predict any of the individual
6 treatment actions in several logistic regressions (β s shown in Table 1).

7 However, covarying judgment—to determine the mediated effect of anchor level
8 on overall treatment choice aggressiveness—revealed a significant contrast effect. *Lower*
9 anchor level predicted more aggressive treatment ($\beta = -.22, p < .05$). That is, considering
10 the 1% anchor yielded more aggressive treatment choices than considering the higher
11 anchor. The predicted mean treatment choice score in the low anchor condition was 3.11
12 and in the high anchor condition it was 2.68. The individual treatment options also
13 suggested a suppressed contrast effect in the form of more waiting, and less testing,
14 hospitalizing and treating but none of these individual tests were significant.

15 The pattern of results represents a suppression effect, a type of mediation that
16 occurs when a previously non-significant relationship is brought to significance by
17 holding constant the effect of a third variable. Furthermore, it is a suppressed contrast
18 effect because high risk anchors were related to less aggressive treatment choices. Paired
19 with the findings for judgment, it appears that high anchors increased judgments and
20 simultaneously inhibited treatment aggressiveness.

21 *Discussion*

22 The results of Experiment 1 show a strong anchor-driven assimilation effect in
23 judgment with high anchors driving up estimates of risk for HIV infection. The

1 assimilation effect was passed on to treatment choice but opposed by a contrast effect in
2 choice; the net effect was no observed relation of anchor to choice. These opposing
3 forces were revealed when judgment was covaried. The suppression effect was clearly
4 visible in the aggregated treatment choices but only implied in the individual treatment
5 choices. Holding judgment constant, patients were less likely to suggest more aggressive
6 treatment for HIV infection when they received a high rather than a low anchor.

7 The findings support the most complex explanation we formulated in the
8 introduction: The data are consistent with the simultaneous operation of both the
9 activation hypothesis and the scale distortion hypothesis. Choices contrasted away from
10 the anchor as suggested by the scale distortion hypothesis. The prediction of assimilation
11 in choice that was drawn from the activation account of the anchoring bias was also
12 indirectly supported because this mediated assimilation effect suppressed the contrast
13 effect.

14 We have argued for a scale distortion hypothesis, but the findings might also be
15 consistent with a deliberate correction process (Martin, 1986; Martin & Clark, 1990;
16 Petty & Wegener, 1993; for a review, see Ford & Thompson, 2000). There was no
17 “observed bias” insofar as the mediated assimilation effect and the direct contrast effect
18 in choice combined for a net zero effect. Perhaps patients were aware of the assimilation
19 effect in judgment but unable or unwilling to control it and instead revised their choices
20 to be unbiased. This explanation is unsatisfactory as the anchoring bias in judgment has
21 shown to be outside of conscious awareness (Chapman & Johnson, 1994, 1999;
22 Mussweiler & Strack, 2000a; Mussweiler, Strack & Pfeifer, 2000) and robust against
23 debiasing (Quattrone et al., 1981; Tversky & Kahneman, 1974). Wilson et al. (1996,

1 Studies 4 and 5) attempted to eliminate anchoring by offering a \$50 payment to the most
2 accurate participant, warning participants that the anchor would bias their answers, and
3 even warning them of the direction in which the anchor would bias their answer. All of
4 these attempts at debiasing failed. People were unaware of the anchoring bias in
5 judgment and consequently unable to debias their judgments. If participants are
6 generally unaware of the assimilation effect in judgment, then it seems unlikely that they
7 would be aware of such an effect in choice.

8 Even so, we wish to give the corrective contrast explanation a fair test. Perhaps
9 people are concerned only with a potential bias in their choices resulting from the anchor
10 numbers (e.g., they have a naïve theory that anchors can bias choices but don't affect
11 judgments). Perhaps people attempt to correct for a potential effect of the anchor on their
12 choices but *overcorrect* and the result is the direct contrast effect of anchor on choice.

13 Concern about being evaluated by others (e.g., accountability) could increase
14 people's motivation to be accurate thus eliminating the anchoring bias in choice.
15 Increasing accountability has been shown to motivate participants to reduce or eliminate
16 biases such as the fundamental attribution error (Tetlock, 1985). Accountability has also
17 been shown to exaggerate other biases such as the dilution effect (i.e., the tendency of
18 irrelevant information to disrupt the use of diagnostic evidence in prediction tasks) as
19 participants pay added attention to normatively irrelevant information (Tetlock &
20 Boettger, 1989). Because the effect of accountability on anchoring has not yet been
21 tested, we formulated a hypothesis that follows from the corrective contrast account:
22 Accountable participants would take even greater care in making their treatment choices
23 and thus eliminate the contract effect in choice.

1 Experiment 2: Physicians

2 The second experiment sought to replicate the basic finding of suppressed
3 contrast and to extend the finding to the treatment choices of physicians, a population of
4 experts skilled at medical decision making. Furthermore, the experiment examined
5 whether increasing the physicians' motivation for accuracy (i.e., by increasing
6 accountability) would moderate the anchoring bias. The experiment employed a 2
7 (Anchor Level) x 2 (Accountability) between subjects design.

8 *Method*

9 *Participants.* Surveys were mailed to 461 family practice physicians who were
10 members of the Iowa Medical Association. At two-week intervals, for the eight weeks
11 following the initial mailing, non-responders received either a reminder postcard or a
12 duplicate survey packet. Completed surveys were received from 191 physicians
13 (response rate 41%). Physicians were not paid for their participation.

14 *Surveys.* Surveys contained a cover page of instructions and a clinical vignette.
15 (The survey contained an additional two vignettes that are reported elsewhere as they
16 examined a topic unrelated to anchoring, see Schwartz, Chapman, Brewer, & Bergus,
17 2004.) After the vignette, participants answered three questions. They offered a
18 comparative and absolute judgment of the likelihood of illness, and the treatment plan
19 they would recommend. Data were dropped for 11 participants who did not answer one
20 or more of the questions (comparative judgment, absolute judgment, or treatment choice).

21 The clinical vignette introduced a case of possible pulmonary embolism, an acute
22 and potentially lethal disease. Pulmonary embolism is notoriously difficult to diagnose
23 and consequently the diagnostic process is accompanied by a high degree of uncertainty.

1 Elements of the vignette amplified the level of uncertainty by including diagnostic
2 feedback of which some elements tended to suggest pulmonary embolism and some
3 tended to deny it. The vignette read as follows:

4 Possible Pulmonary Embolism

5
6 The patient is a 32-year old woman presenting at an acute visit with the
7 following symptoms: cough, pleuritic pain, and a low-grade fever. Over
8 the last two years, the patient has had a substantial weight gain that has
9 caused her BMI to elevate to 34. She is short of breath, has an elevated
10 heart rate (104 bpm) but normal blood pressure (130/80). Her legs show
11 no edema or sensitivity to pressure. A cardiac auscultatory exam shows
12 increased P2. The patient appears anxious about her presenting problems
13 but otherwise healthy with no history of IDU or recent surgery. Her chest
14 x-ray returns near normal and an EKG shows non-specific ST-T wave
15 changes. A blood test shows that arterial P_{O_2} is 83 mmHg and P_{CO_2} is 36
16 mmHg, both of which are on the low side of the normal range.

17 *Judgment.* After reading the vignette, participants gave a comparative judgment:
18 whether the chance of a pulmonary embolism in the hypothetical patient was greater or
19 less than 1% [or 90%]. They then gave an absolute judgment: a point estimate of the
20 chance of pulmonary embolism in the patient.

21 *Treatment choice.* Physicians reported the next step(s) they would take in treating
22 the patient. Physicians were instructed to check all that applied from a list: wait and see
23 whether the patient's condition improves with normal care; order a lung scan; order a
24 pulmonary angiography [i.e., x-ray]; hospitalize the patient; treat with warfarin (or other

1 anticoagulant). A last option asked physicians to write in any other treatment options
2 they would pursue.

3 A composite score for treatment aggressiveness was created for each physician.
4 Physicians who opted to watchfully wait received a score of “1” (n = 19). Physicians
5 whose most aggressive treatment was to test were scored “2” (n = 112), and those who
6 treated with medication or hospitalized were scored “3” (n = 48). The coding scheme
7 reported is one of several logically defensible options. As in Experiment 1, several
8 alternate scoring systems were also examined. For example, in one arrangement
9 hospitalization was scored lower and in another treating and hospitalization were
10 separated. The results obtained using the alternate coding schemes not differ
11 meaningfully from those reported below.

12 *Accountability.* Physicians were randomly assigned to receive a survey that either
13 did or did not make accountability salient. In the accountable condition, the survey’s first
14 inside page indicated that the physicians’ responses would be reviewed by “members of a
15 recently formed patient advocacy group, headquartered in Iowa City”. They were further
16 asked to indicate times and days of the week that they might be contacted should the
17 reviewers have any questions. After making the judgments and treatment decisions about
18 the scenario, they were also asked to provide a written justification of their answers. In
19 the non-accountable conditions, the first inside page of the survey was left blank and
20 participants were not asked to justify their answers. All analyses included terms
21 modeling the main and moderating effects of accountability.

1 *Results and Discussion*

2 Physicians' judgments strongly assimilated to the irrelevant anchor numbers.
3 Physicians in the low anchor group estimated the likelihood of pulmonary embolism to
4 be 23% on average, less than half of the 53% average estimate of those in the high anchor
5 group. A 2 (Anchor Level) x 2 (Accountability) ANOVA that predicted judgment
6 revealed a significant main effect of Anchor Level, $F(1, 175) = 51.12, p < .001, \beta = +$
7 $.49$.

8 Higher judgments predicted more aggressive treatment choices both in the
9 summary variable ($\beta = +.44, p < .01$) and all individual variables ($ps < .05$) except
10 testing. Covarying out anchor level from the relation between judgment and choice
11 strengthened all relations such that all became larger.

12 The most important finding was a replication of the suppressed contrast effect in
13 choice as summarized in Table 2. Anchor level again showed little or no observed
14 relation to treatment choice. Instead, choices showed a contrast effect that was
15 suppressed by a mediated assimilation effect. A 2 (Anchor Level) x 2 (Accountability)
16 ANOVA that predicted the treatment aggressiveness score showed that treatment
17 aggressiveness was unrelated to anchor level ($\beta = -.15, n.s.$). When judgment was
18 covaried out of the relation between anchor level and choice, the relationship became
19 significant. Lower anchor level predicted more aggressive overall treatment scores ($\beta = -$
20 $.54, p < .001$). The predicted mean overall treatment choice score in the low anchor
21 condition was 2.32 and in the high anchor condition it was 2.01.

22 In separate 2 (Anchor Level) x 2 (Accountability) logistic regressions predicting
23 each of the four treatment options (i.e., wait, test, hospitalize, medicate), only watchful

1 waiting showed a significant bivariate relationship to anchor level (as shown in Table 2).
2 The latter relation showed an observed contrast effect such that higher anchor number
3 predicted greater watchful waiting ($\beta = +.30, p < .05$). This is a contrast effect because
4 higher probability judgments were related to lower treatment aggressiveness. Analyses
5 of the individual treatment choices that covaried judgment showed significant contrast
6 effects with lower anchors predicting more waiting and less testing, hospitalizing and
7 treating ($ps < .05$).

8 *Accountability.* Accountability did not moderate the anchoring effects reported
9 above. The average pulmonary embolism likelihood estimates for the non-accountable
10 and accountable conditions were equivalent in the low (23% vs. 20%) and high (52% vs.
11 53%) anchor conditions. The 2 x 2 ANOVA predicting judgment revealed no main effect
12 of or interaction with accountability, $F_s(1, 175) < 1, n.s.$ Similarly, accountability did
13 not moderate the relation of anchor to choice. The 2 x 2 ANOVA predicting choice
14 revealed no effects of accountability, $F_s(1, 175) < 1, n.s.$ Adding judgment to ANOVA
15 as a covariate revealed no interactions with accountability.

16 As we have noted elsewhere, the response rate in the accountable condition was
17 about half that in the non-accountable condition (Schwartz et al, 2004). The absence of a
18 main effect for accountability on risk judgment or choice suggests that there was not a
19 selection bias. This conclusion is bolstered by the equivalent ages, years in practice and
20 gender (Schwartz, et al, 2004) between participants and nonresponders, and between
21 accountable and non-accountable conditions. Although a reasonable concern about the
22 null results is that the accountability manipulation was ineffective, results from the other
23 study conducted concurrently show effects of accountability (Schwartz, et al., 2004). The

1 study showed that the physicians' violations of the normative rule of regularity were
2 more exaggerated under accountability. Given Schwartz et al's finding of an effect of the
3 accountability manipulation, we conclude that accountability does not alter anchoring
4 effects of the type we report here. Because increased accuracy motivation did not reduce
5 the anchoring effect in choice, deliberative correction that requires accuracy motivation is
6 an unlikely explanation for the suppressed contrast effect.

7 General Discussion

8 The results of these two experiments with patients and physicians demonstrate the
9 surprising conundrum that anchors cause a large bias in health risk judgments but cause
10 no apparent bias in treatment choices. This finding is true for both patients and
11 physicians experts. Making sense of this unintuitive pattern of findings requires that we
12 posit two opposing processes. The simplest account, that anchors cause the selective
13 activation of information in memory, cannot alone account for the suppressed contrast
14 effect in choice. We discuss the theoretical issues that the experiments raise and then
15 discuss several clinical implications.

16 We have proposed that the additional contrast effect in choice is due to response
17 scale distortion. Mapping the anchor onto the response scale causes an enhanced
18 sensitivity in the range of the response scale closest to the anchor and diminished
19 sensitivity furthest away. Absolute judgments mapped onto the distorted response scale
20 shift closer to the anchor causing the judgment to resemble the anchor. Yet, the
21 subjective understanding of the difference between anchor and judgment seems large and
22 causes choices to contrast away from the anchor. Both experiments support the scale
23 distortion hypothesis. In Experiment 2, physicians treated less aggressively when they

1 received a high anchor when compared to those who received a low anchor (after
2 controlling for judgment). In Experiment 1, HIV-positive patients were less likely to
3 suggest more aggressive treatment for HIV infection when they received a high rather
4 than a low anchor (again controlling for judgment). The prediction of a mediated
5 assimilation effect in choice drawn from the activation account of the anchoring bias was
6 also supported. The mediated assimilation effect offset the contrast effect in choice such
7 that the observed relation of anchor to choice was nil until judgment was held constant.

8 The two experiments support the scale distortion account and the data from
9 Experiment 2 tend to rule out a deliberative corrective contrast account. Presumably,
10 physicians in the accountable condition should have been additionally motivated to
11 reduce the bias in their choices but they did not. Because neither this experiment nor any
12 other experiments we are aware of have shown that accountability (or more explicit
13 forms of accuracy motivation) reduced the effect of irrelevant anchors on judgments, the
14 corrective contrast argument must assume that participants were unaware of a bias in
15 judgment. Given this, corrective contrast would then have to assume that participants are
16 somehow motivated to debias choice but not judgment. Furthermore, to account for the
17 present findings, it would have to assume that physicians believed that their correction
18 was just about right (and accounted for an unknown and compensatory bias passed
19 through judgment) and that, even under conditions of accountability, no additional
20 correction was required. We do not find the correction account tenable.

21 The data do not rule out several alternative theoretical accounts. It is possible that
22 the anchor influences an unmeasured third variable that itself affects choice but not
23 judgment. Another potential explanation is that the contrast effect is triggered by a

1 deliberate comparison of anchor and judgment, in a manner similar to comparison
2 contrast (Schwarz & Bless, 1992; Strack & Mussweiler, 1997). A last possibility is the
3 finding by Mussweiler and Strack that anchors lead to assimilation in objective
4 judgments but lead to contrast effects in subjective judgments (Mussweiler & Strack,
5 2000b). Treatment choices do not seem inherently subjective in nature but the sense of
6 treatment aggressiveness captured by our summary choice measure may tap into some
7 underlying subjective dimension. Sorting out the additional explanations will require
8 additional research but the present experiments demonstrate an interesting and potentially
9 important new finding. More importantly, the studies demonstrate that anchoring effects
10 in judgment are not necessarily passed on to choice, or at least not in a way that is easily
11 observed.

12 Another limitation of the present studies is that we did not directly assess the
13 perceived influence of the anchors. As we have already noted, some participants in other
14 studies have perceived an influence of anchor numbers, but they are often wrong about
15 the direction; the upshot is that perceived influence is unrelated to observed bias.
16 Furthermore, even when explicitly warned about the presence and direction of the bias,
17 people are unable to debias their judgments. Finally, past research has shown that anchor
18 numbers bias judgments even when they are perceived to be completely uninformative
19 and perceived not to have an influence (Brewer & Chapman, 2001; Chapman & Johnson,
20 1999; Russo, 1989). This previous research (and Experiment 2 using the accountability
21 manipulation) strongly suggests that the present findings are not a methodological
22 artifact.

1 The research has several potential clinical implications. The studies demonstrate
2 the effect in two real world medical populations asked to make judgments and choices
3 within their area of experience. This gives us confidence that we are talking about effects
4 that are general in nature and applicable to clinical judgments and decisions. The most
5 obvious implication of the research is that irrelevant anchor numbers may bias judgments
6 but do not appear to have a large impact on related treatment choices. Similar biases
7 already demonstrated in judgment will need to be demonstrated in choice rather than
8 assuming their generality. The findings leave open the possibility that an advisor with an
9 anchor-biased judgment may give poor advice that is then followed by a patient. Thus, a
10 physician with a biased risk estimate may communicate it to a patient who could then act
11 on it. This series of events seems entirely plausible and would represent an anchoring
12 bias in choice. However, this speculation awaits empirical validation.

13 The anchoring effects for patients were quite a bit smaller than for physicians
14 (judgment: .28 vs .44; choice: -.22 vs. -.54). One conclusion is that physicians are more
15 susceptible to the bias. We think that is a premature and perhaps incorrect conclusion. It
16 is possible that differences in the two scenarios themselves influenced the effect sizes.
17 More likely in our opinion is that the reliability of the participants' judgments and
18 choices differed. Patients showed a smaller relationship between their judgments and
19 choices (.42 vs. .75, after covarying anchor), one measure of how internally consistent the
20 two groups' responses were. Physician responses may have contained less random error
21 and this higher reliability may have allowed us to obtain larger parameter estimates.

22 The anchoring bias has presented long standing fascination for those in the field
23 of judgment and decision making. The present findings suggest that irrelevant anchors

- 1 may have more complex effects than initially thought, particularly when the bias extends
- 2 from judgment to choice. Models of the anchoring bias may require refinement to better
- 3 reflect such findings.

- 1 Ford, T. E., & Thompson, E. P. (2000). Preconscious and postconscious processes
2 underlying construct accessibility effects: An extended search model. *Personality
3 and Social Psychology Review, 4*, 317-336.
- 4 Jacowitz, K. R. & Kahneman, D. (1995). Measures of anchors in estimation tasks.
5 *Personality and Social Psychology Bulletin, 21*, 1161-1166.
- 6 Martin, L. L. (1986). Set/reset: Use and disuse of concepts in impression formation.
7 *Journal of Personality and Social Psychology, 51*, 493-504.
- 8 Martin, L. L., & Clark, L. F. (1990). Social cognition: Exploring the mental processes
9 involved in human interaction. In M. W. Eysenk (Ed.), *Cognitive Psychology: An
10 International Review* (pp. 265-310). Chichester: Wiley.
- 11 Maruyama, G. M. (1988). *Basics of Structural Equation Modeling*. Thousand Oaks, CA:
12 Sage.
- 13 Mussweiler, T., & Strack, F. (1999). Hypothesis-consistent testing and semantic priming
14 in the anchoring paradigm: A selective accessibility model. *Journal of Experimental
15 Social Psychology, 35*, 136-164.
- 16 Mussweiler, T., & Strack, F. (2000a). Numeric judgments under uncertainty: The role of
17 knowledge in anchoring. *Journal of Experimental Social Psychology, 36*, 495-518.
- 18 Mussweiler, T., & Strack, F. (2000b). The “relative self”: Informational and judgmental
19 consequences of comparative self-evaluation. *Journal of Personality and Social
20 Psychology, 79*, 23-38.
- 21 Mussweiler, T., Strack, F., & Pfeifer, T. (2000). Overcoming the inevitable anchoring
22 effect: Considering the opposite compensates for selective accessibility. *Personality
23 and Social Psychology Bulletin, 26*, 1142-1150.

- 1 Northcraft, G. B., & Neale, M. A. (1987). Experts, amateurs, and real estate: An
2 Petty, R. E., & Wegener, D. T. (1993). Flexible correction processes in social judgment:
3 Correcting for context-induced contrast. *Journal of Experimental Social Psychology*,
4 29, 137-165.
- 5 Quattrone, G. A., Lawrence, C. P., Finkel, S. E. , & Andrus, D. C. (1984). Explorations
6 in anchoring: The effects of prior range, anchor extremity and suggestive hints.
7 Unpublished manuscript, Stanford University, Stanford, California.
- 8 Russo, J. E., & Shoemaker, P. J. H. (1989). *Decision Traps*. New York: Simon &
9 Schuster.
- 10 Schkade, D. A., & Johnson, E. J. (1989). Cognitive processes in preference reversals.
11 *Organizational Behavior and Human Decision Processes*, 44, 203-231.
- 12 Schwartz, J., Chapman, G. B., Brewer, N., & Bergus, G. R. (2004). The effect of
13 accountability on physicians' decisions: Going from bad to worse. *Psychonomic*
14 *Bulletin & Review*, 11, 173-178.
- 15 Schwarz, N., & Bless, H. (1992). Constructing reality and its alternatives: An
16 inclusion/exclusion model of assimilation and contrast effects in social judgment. In
17 L. L. Martin, A. Tesser (Eds.), *The construction of social judgments*. Hillsdale, NJ:
18 Lawrence Erlbaum.
- 19 Strack, F., & Mussweiler, T. (1997). Explaining the enigmatic anchoring effect:
20 Mechanisms of selective accessibility. *Journal of Personality and Social Psychology*,
21 73, 437-446.
- 22 Tetlock, P. E. (1985). Accountability: A social check on the fundamental attribution
23 error. *Social Psychology Quarterly*, 48, 227-236

- 1 Tetlock, P. E., & Boettger, R. (1994). Accountability amplifies the status quo effect
2 when change creates victims. *Journal of Behavioral Decision Making*, 7, 1-23.
- 3 Tversky, A., & Kahneman, D. (1974). Judgments under uncertainty: Heuristics and
4 biases. *Science*, 185, 1124-1131.
- 5 Wansink, B., Kent, R. J., & Hoch, S. J. (1998). An anchoring and adjustment model of
6 purchase quantity decisions. *Journal of Marketing Research*, 35, 71-81.
- 7 Wilson, T. D., & Brekke, N. (1994). Mental contamination and mental correction:
8 Unwanted influences on judgments and evaluations. *Psychological Bulletin*, 116,
9 117-142.
- 10 Wilson, T. D., Houston, C. E., Eitling, K. M., & Brekke, N. (1996). A new look at
11 anchoring effects: Basic anchoring and its antecedents. *Journal of Experimental*
12 *Psychology: General*, 125, 387-402.

1

Table 1

2 *Predictors of HIV+ Patients' Treatment Choices (Experiment 1)*

3

	Anchor Level		Risk Judgment	
	β		β	
Watchfully wait	.18	(.09)	-.28	(-.23)
See a doctor	-.17	(-.11)	.21	(.15)
Test	-.23	(-.08)	.45*	(.37*)
Medicate (with antiviral medication)	-.14	(-.04)	.35*	(.31*)
Treatment Choice Aggressiveness Index	-.22*	(-.10)	.42**	(.36*)

4

5 *Note.* Bivariate relationships shown in parentheses; mediated relationships shown

6 outside parentheses, that is after covarying out the effects of variable in adjacent column.

7 * $p < .05$, ** $p < .001$

8

9

1 Table 2

2 *Predictors of Physician's Treatment Choices (Experiment 2)*

3

	Anchor Level	Risk Judgment
	β	β
Watchfully wait	.67** (.30*)	-.98* (-.55*)
Test	-.28* (-.09)	.34* (.18)
Hospitalize	-.24* (-.00)	.45** (.33*)
Medicate (with anticoagulant)	-.33* (-.02)	.56** (.40*)
Treatment Choice Aggressiveness Index	-.54** (-.15)	.75** (.44**)

4

5 *Note.* Bivariate relationships shown in parentheses; mediated relationships shown

6 outside parentheses, that is after covarying out the effects of variable in adjacent column.

7 * $p < .05$, ** $p < .001$

8

9

10